



Powerful Performance. Winning Results.



SHOWPIG 509

Honor® Show Chow® SHOWPIG 509 feed is designed for sale pigs weighing 25 lbs. and up.

Offer SHOWPIG 509 feed to pigs being prepared for a prospect show pig sale. SHOWPIG 509 feed can also be fed to newly-purchased young show pigs during the critical receiving phase when they are susceptible to infection with mycoplasma pneumonia.

Formulated for ultra-modern show pigs, SHOWPIG 509 feed is a 20% protein, 7% crude fat, 1.3% lysine feed in a 3/32" pellet designed for greater intake and improved pellet quality.

Honor® Show Chow® SHOWPIG 509 feed is supported by Purina. Get your pigs on SHOWPIG 509 feed today so you can unleash your genetic investment.

FEATURES	BENEFITS
Formulated with very high quality animal protein sources.	Very palatable, newly weaned pigs get on feed fast and look great
High levels of protein, essential amino acids (1.3% lysine), and crude fat (7.0%)	Nutrient dense to support intake and growth of young pigs.
Steam rolled oats	Very digestible, great source of nutrients for pigs
3/32" pellets	Extremely small pellet for improved intake and pellet quality
Lincomycin & Safe-Guard®	Helps protect against mycoplasma pneumonia and parasites
Proprietary blend of ingredients	Produces full middles, muscle shape and bloom
TASCO®	Helps lower body temperature during heat stress helping to keep pigs on feed



Regional Availability

Check your current price list for availability in your region, or contact your local Purina Dealer or Representative for more information.

Visit our website to download this product form.

www.HonorShowChow.com

For more information on this product, visit our website at www.HonorShowChow.com or call Purina Customer Service at 1-800-227-8941

SHOWPIG 509 L200 FBZ 36

GUARANTEED ANALYSIS

Crude Protein, %	(min)	20.0
Lysine, %	(min)	1.30
Crude Fat, %	(min)	7.00
Crude Fiber, %	(max)	5.00
Calcium, % (Ca)	(min)	0.50
Calcium, % (Ca)	(max)	1.00
Phosphorous, % (P)	(min)	0.50
Selenium, ppm (Se)	(min)	0.30
Zinc, ppm (Zn)	(min)	500

Active Drug Ingredient: Lincomycin 200 g/ton
Fenbendazole 36 g/ton

For reduction in the severity of swine mycoplasmal pneumonia caused by mycoplasma hypopneumoniae. Feed as the sole ration for 21 days.

For the removal of : Lungworms: *Metastrongylus apri*, *Metastrongylus pudendotectus*. Gastrointestinal worms: Adult and larvae (L3, L4 stages, liver, lung, intestinal forms) large roundworm (*Ascaris sum*); nodeular (*Oesophafostomum dentatum*, *Ornithostrongylus quadrispinulatum*); small stomach (*Hyostrongylus rubidus*); Adult and larvae (L2,L3,L4 stages intestinal mucosal forms) whipworm (*Trichuris suis*); Kidneyworm: Adult and larvae *Stephanurus dentatus*.

FEEDING DIRECTIONS

Offer HSC SHOWPIG 509 L200 FBZ 36 to pigs weighing 25 - 100 lbs in bodyweight . Feed HSC SHOWPIG 509 to pigs being fed for show at the rate of 23 lbs per 100 lbs of bodweight over a period of 3 to 12 days to provide 9 mg/kg fenbendazole. Always allow free access to plenty of clean, fresh water.

Caution:

Occasionally, swine fed lincomycin may within the first two days after the onset of treatment develop diarrhea and/or swelling of the anus. On rare occasions, some pigs may show reddening of the skin and irritable behavior. These conditions have been self-correcting within five to eight days without discontinuing the lincomycin treatment. The effects of Lincomycin on swine reproductive performance, pregnancy and lactation have not been determined. Do not allow rabbits, hamsters, guinea pigs, horses, or ruminants access to feeds containing lincomycin. Ingestion by these species may result in severe gastrointestinal effects. Not to be fed to swine that weigh more than 250 lb.

DO NOT FEED TO SHEEP DUE TO HIGH LEVELS OF COPPER.

Special Considerations:

Protect from excessive temperatures (temperatures that exceed 40° C or 104° F) Do not store at warm temperatures up to 104° F (40° C) for more than 7 days.